

INTERFERENCE SEARCH

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(injection and (preform parison) and (core mandrel) and (axial axially advanced) and (process method)).clm.	US-PGPUB	OR	ON	2006/12/21 10:04
L2	7	(injection and (preform parison) and (core mandrel) and (fixed) and (process method)).clm.	US-PGPUB	OR	ON	2006/12/21 10:07
L3	5	I2 not I1	US-PGPUB	OR	ON	2006/12/21 10:07

EAST Search History

S92	106	("2860374" "2900666" "3020594" "3271501" "3289252" "3314639" "3362675" "3456913" "3473197" "3477095" "3482284" "3496611" "3534443" "3564660" "3670066" "3694124" "3724981" "3771764" "3795382" "3822029" "3826553" "3837612" "3861840" "3905740" "3917789" "3942755" "3978189" "4278417" "4481161").PN. OR ("4125246" "4339408" "4476083" "4576568").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:24
S93	9	S92 and (neck preform)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:27
S94	10	S92 and (neck preform blank)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:27
S95	10	S92 and (neck preform blank parison)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:31
S96	6	S92 and (neck preform blank parison) same (core)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:32
S97	5	S92 and (neck near2 mold (threads)) and (preform blank parison) same (core)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:32
S98	4649	(264/318,328.1,334,328.7,537).ccis.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:06
S99	2348	S98 and (core mandrel pin)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:07
S10 0	966	S98 and (core mandrel pin) and ((axial axially horizontal\$3 lateral\$3) with (mold\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:08
S10 1	620	S98 and (core mandrel pin) same ((axial axially horizontal\$3 lateral\$3) with (mold\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:08
S10 2	347	S98 and (core mandrel pin) near7 ((axial axially horizontal\$3 lateral\$3) with (mold\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:10
S10 3	126	S98 and (core mandrel pin) near7 ((axial axially horizontal\$3 lateral\$3) with (advanc\$3 retract\$3 mov\$3) with (mold\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:13

EAST Search History

S10 4	72	S98 and (core mandrel pin) near7 ((axial axially horizontal\$3 lateral\$3) with (advanc\$3 retract\$3 mov\$3) with (mold\$3)) and (container cap safety lid)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 16:13
S10 5	1	(US-6082991-\$).did.	USPAT	OR	ON	2006/12/20 06:58
S10 6	0	S105 and (safety child radial radially)	USPAT	OR	ON	2006/12/20 06:58
S10 7	1	S105 and (threads)	USPAT	OR	ON	2006/12/20 07:26
S10 8	1	("6649121").pn.."	USPAT	OR	ON	2006/12/20 07:40
S10 9	2	("5232718" "6327770").pn.	USPAT	OR	ON	2006/12/20 07:41
S11 0	713	(preform and (mold\$3) and (process method) and (clos\$3 together axial axially lateral laterally safety child tamper resistant)).clm.	USPAT	OR	ON	2006/12/20 07:43
S11 1	1063	(preform and (mold\$3) and (process method) and (clos\$3 together axial axially lateral laterally safety child tamper resistant)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:43
S11 2	87	(preform near7 (mold\$3) near7 (process method) near7 (clos\$3 together axial axially lateral laterally safety child tamper resistant)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:54
S11 3	19845	((process method) near7 (safety child tamper resistant)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:54
S11 4	13105	((process method) near4 (safety child tamper resistant)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:54
S11 5	26	((process method) near4 (safety child tamper resistant) near4 (injection preform)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:58
S11 6	0	(264/537).ccls. and ((process method) near4 (safety child tamper resistant) near4 (injection preform)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:58
S11 7	0	(264/537).ccls. and ((process method) near7 (safety child tamper resistant) near7 (injection preform)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 07:59
S11 8	8	(264/537).ccls. and ((process method) and (safety child tamper resistant) and (injection preform)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 09:00

EAST Search History

S11 9	1	"5662245".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/20 09:00
S12 0	20	("5662245").URPN.	USPAT	OR	ON	2006/12/20 13:03
S12 1	1	"6322651".pn.	USPAT	OR	ON	2006/12/20 13:03
S12 2	0	S121 and (roller)	USPAT	OR	ON	2006/12/20 13:03
S12 3	0	S121 and (rollers)	USPAT	OR	ON	2006/12/20 13:10
S12 4	22238	(conveyor) near4 rollers	USPAT	OR	ON	2006/12/20 13:10
S12 5	15165	(conveyor) near2 rollers	USPAT	OR	ON	2006/12/20 13:10
S12 6	2549	driven near4 (conveyor) near2 rollers	USPAT	OR	ON	2006/12/20 13:12
S12 7	469	driven near4 (conveyor) near2 rollers and (conveyor roller).ti.	USPAT	OR	ON	2006/12/20 15:20
S12 8	4	"4,148,954"	USPAT	OR	ON	2006/12/20 15:21
S12 9	0	S128 and rollers	USPAT	OR	ON	2006/12/20 16:48
S13 0	1	10/789310	US-PGPUB; USPAT	OR	ON	2006/12/20 16:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	9	(injection) and (preform parison) and (core mandrel) and (axial axially closed radially advanc\$3) and (radial\$3 safety tamper child)	EPO; JPO	OR	ON	2006/12/21 10:12